

101 603653.



Attorney Docket No. 47113-0354
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Bo Carlström et al.

Patent No.: 7,185,721 B2

Issued: March 6, 2007

FOR: MALE PORTION, DRILL BIT AND
THREADED JOINT FOR PERCUSSIVE
ROCK DRILLING

Certificate
SEP 25 2007
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Mail Stop: Certificate of Corrections
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The below error has been identified in U.S. Patent No. 7,185,721 B2.

The following error is a mistake of a minor character correctable under 35 U.S.C. § 255 and which occurred in good faith and Applicants assert that the requested correction does not constitute new matter or require reexamination:

Claim 10, Column 6, lines 9-10: "first length L" should read --first length L'--.

Issuance of a Certificate of Correction for the above-captioned patent is respectfully requested in accordance with the accompanying Request for Certificate of Correction and Form PTO-1050. The \$100 fee per 37 C.F.R. § 1.20(a) accompanies this request.

Respectfully submitted,

DRINKER, BIDDLE & REATH LLP

Date: September 21, 2007

By: 

Jeffrey G. Killian
Reg. No. 50,891

CUSTOMER NO. 055694
DRINKER, BIDDLE & REATH LLP
1500 K Street, N.W., Suite 1100
Washington, D.C. 20005-1209
T: 202-842-8821
F: 202-842-8465

09/24/2007 SZEWDIE1 00000024 7185721

01 FC:1811

100.00 OP

SEP 25 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 7,185,721 B2
DATED: March 6, 2007
INVENTORS: Carlström et al.

It is hereby certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 10, at column 6, lines 9-10, please replace "first length L" with --first length L'--.

MAILING ADDRESS OF SENDER
Drinker Biddle & Reath LLP
Customer No. 55694
1500 K Street, N.W., Suite 1100
Washington, D.C. 20005-1209

Patent No. 7,185,721 B2

No. of additional copies
@ .30¢ per page

2
SEP 25 2007